Application No:1-3511735017 Note: This is a Computer generated Report. No signature is required.

Printed By : aict10019

Page 1 of 3 Letter Printed On:15 May 2018

3

All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India) Nelson Mandela Marg, Vasant Kunj, New Delhi-110070 Website: <u>www.aicte-india.org</u>

APPROVAL PROCESS 2018-19

Extension of Approval (EoA)

F.No. Northern/1-3511735017/2018/EOA

To,

The Principal Secretary, Deptt. Of Human Resource Development, Govt. of Bihar, New Secretariat, Patna-800015, Bihar

Sub: Extension of Approval for the Academic Year 2018-19

Ref: Application of the Institution for Extension of approval for the Academic Year 2018-19

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2016 notified by the Council vide notification number F.No.AB/AICTE/REG/2016 dated 30/11/2016 and amended on December 5, 2017 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

| Permanent Id | 1-2877056111 | Application Id | 1-3511735017 |
|--|---|--|--|
| Name of the Institute | GOVERNMENT POLYTECHNIC, MADHEPURA | Name of the Society/Trust | GOVERNMENT POLYTECHNIC ,MADHEPURA |
| Institute Address | AT- DHURIA KALASAN, P.O DHURIA KALASAN, ANCHAL- CHOUSA, DIST- MADHEPURA, PIN- 852213 | Society/Trust Address | GOVERNMENT POLYTECHNIC, MADHEPURA(DHU RIA), DIST-MADHEPURA- 852213, MADHEPURA, MADHEPURA , Bihar, 852213 |
| Institute Type | Government | Region | Northern |
| | | Carlos Ca | 이상일이 없는 것이 같아. |
| Opted for change from Women to Co-Ed and Vice versa | No | Opted for Change of Site | Yes |
| Change from Women to Co- Ed and vice versa Approved or Not | NA | Change of Site Approved or Not | Yes |
| New Name After change from Women to Co-Ed and Vice versa | NA | New Site Address after change of Site Approved | AT- DHURIA KALASAN, P.O DHURIA KALASAN, ANCHAL- CHOUSA, DIST- MADHEPURA, PIN- 852213 |
| and the second state of the second | | and the search prove the second s | |
| Opted for Change of Name | No | Opted for Conversion from Degree to Diploma | No |
| Change of Name Approved or Not | NA | Opted for Conversion from Diploma to Degree | No |
| New Name After Institute Name Change Approved | NA | Conversion (Degree to Diploma or vice-a- versa) Approved or Not | NA |
| Opted for Organization Name Change | No | Change of Organization Name Approved or Not | NA |

| Old Address of Institute: | AT- DHURIA KALASAN, P.O DHURIA KALASAN, ANCHAL- CHOUSA, DIST- MADHEPURA, PIN- 852213 |
|---------------------------|--|
| | SUPAUL, SUPAUL, Bihar, 852215 |
| | |

To conduct following Courses with the Intake indicated below for the Academic Year 2018-19

0

.

Date: 10-Apr-2018

| in a star | 1 4 4 7 | DIPLOMA | | | | | | | |
|----------------------------------|-----------|-----------|----------------------------|--------|--|--------------------------------|------------------------|---|--|
| | tures 1st | | Course | FT/PT+ | Affiliating Body (Univ/Body) | Intako Approved for 2018-19 | NRI Approval Status | PIO / FN / Guif quota/ OCI/ Approval Status | Foreign Collaboration Mining Program Approval Status* |
| AND TECHNOLOGY | 13(| DIFLOMA | CIVIL ENGINEERING | FT | State Board of Technical Education, Patna | 60 | NA | NA | No |
| ENGINEERING AND TECHNOLOGY | 1st | DIPLOMA | ELECTRICAL ENGINEERING | FT | State Board of Technical Education, Patna | 60 | NA | NA | No |
| ENGINEERING AND TECHNOLOGY | 1st | DIPLOMA | ELECTRONICS ENGINEERING | FT | State Board of Technical Education, Patna | 60 | NA | NA | No |
| ENGINEERING AND TECHNOLOGY | 1st | DIPLOMA . | MECHANICAL ENGINEERING | FT | State Board of Technical Education, Patna | 60 | NA | NA | No |
| +FT -Full Time, | PT-Part | Time | | | | 1 | 1 | | |

`**2*

0

P DI NOT THE P

| Deficiencies Noted based on Self Disclosure | |
|--|-----------------------|
| Particulars | Deficiency |
| Anti-Ragging Related Deficiency | Charles and the South |
| Appointment of Counselors | Yes |
| Ombudsman Related Deficiency | 1. 5月4日 建闭合 建筑 |
| Grievance Committee | Yes |
| Other Facilities Deficiency | |
| nstitution Web Site | Yes |
| Standalone Language Laboratory | Yes |
| Tatablishment of committee for SC/ST | Yes |
| Establishment of Internal Complaint Committee(ICC) As per section 4 of SexualHarassment of Women at Workplace Provention, Prohibition and Redressal) Act 2013 | |
| Compliance of the National Academic Depository(NAD) as per MHRD Directives | Yes |
| Provision to watch MOOCS Courses through Swayam | Yes |
| nsurance for Students | Yes |
| pplied membership-National Digital Library | Yes |
| In a second s | N |
| loard Room | Yes |
| epartment Offices/Cabin for Head of Dept | Yes |
| antry for Staff/Faculty | Yes |
| raining Placement Office | Yes |
| aculty Deficiency | 165 |
| omputational Facilities | Yes |
| Cs to Student ratio | Yes |
| temet Bandwidth-Applied Intake | Yes |
| rinters-Applied Intake | Yes |
| Cs to Student ratio-Applied Intake | 100 |
| brary Facilities | Yes |
| ational Journals | Yes |
| brary Management Software | Yes |
| | 103 |
| structional Area- ENGINEERING AND TECHNOLOGY-Diploma | Yes |
| dditional Workshop/Labs | |

*Please refer Deficiency Report for details

GOVERNMENT POLYTECHNIC, MADHEPURA is hereby informed to submit the compliance of the deficiencies mentioned above to the Regional Office within a period of 6 months from the date of issuance of this letter failing which the council shall initiate strict action as defined in Approval

...

Page 2 of 3